



FUDARI

2018



Company History

Sep. 2005. Established by a group of professional partners who all love fashion tile boutiques.
Nov. 2005. Signed the exclusive contract with the first brand in the global ceramic tile – IMOLA
Jul. 2008. Established the IMOLA flagship store in Ren-Ai RD., Taipei
Sep. 2008. Promoted the fashion and low-profile luxury style in the IMOLA flag store and lead the ceramic tiles into the fashion trend.
Jan.~Dec. 2009. Showed off different images and exhibited various new products with different styles every month.
Mar. 2010. Signed the agency agreement with one of top Spanish brands – APAVISA.
2011~Present. The style of retro nostalgic is being set off again, and the traditional impression is being overturned gradually. We lead people into a new era of tiles.
Sep. 2012. Brought in the world's largest polished porcelain tile – 120x120x1.2cm, which is made by the most advanced and innovative 10,000 tones press machine, is also the best material to take the place of nature stones.
May. 2013. Reformulated the company VI (Visual Identification) and set the goals for the future.
Jun. 2016. Established Fudari flagship store in Neihu Dist., Taipei

Brand Intro

Ceramics is the key element in Home, Architecture, and Interior Design. Fudari has become the symbol of luxury, fashion and lifestyle in Taiwan's ceramic market since our establishment in 2005. Our goal is to bring the best ceramics and highest service standard to our customers. We hope the people in Taiwan are able to enjoy the international standard, fashion and high quality ceramics through our effort and brand spirits.

Brand Spirit

Diligently, Sincerely, Enthusiasm, Caring, Happiness, Relieve, Filial Brand, Quality, Moral, Character Gratitude, Grateful, Touched, Thankful Culture, Education, Art, Environmental Friendly, Esthetics



**COOPERATIVA
CERAMICA
D'IMOLA**



ImolaCeramica: where Made in Italy is a byword for quality and innovation

ImolaCeramica is a Cooperativa Ceramica d'Imola brand that designs and manufactures a wide range of floor and wall tiles which reflect and anticipate the latest trends in the

world of architecture and interior design. With its ceramics for residential contexts and major, modern building works and its attractive, but practical solutions, ImolaCeramica can meet any and every style requirement by enveloping space with classic, rustic, traditional or modern tactile styles. These tiles brim with creativity and constantly reinterpret that special Made in Italy sensitivity which succeeds in combining quality and innovation. The collections are constantly expanded too, in order to satisfy both a sense of family cosiness, and the flair of the most up-to-date designers and design studios. Different ideas and identities take shape and come to life in a single brand: ImolaCeramica.

140 years of Cooperativa Ceramica d'Imola. Tradition keeping pace with the times.

140 years have gone by since our first kilns began transforming clay into unique items. A bee symbolises this creative journey. Today, Imola Ceramica is the perfect balance of innovation and tradition, just as it has always been. ImolaCeramica's history is firmly bound to that of Cooperativa Ceramica d'Imola, the cooperative founded in 1874 when Giuseppe Bucci handed over his tableware and majolica factory to his workers. This is how Italy's oldest Production and Employment Cooperative was created and why it has always been driven by a passionate thirst for progress. It is this insistence on looking to the future that encouraged the company, in 1913, to focus on the production of floor and wall tiles and achieve an ideal combination of style and technology. This perfect balance is encapsulated in the ImolaCeramica brand and symbolized by its worker bee logo. A bee that draws Made in Italy tactile trajectories to create the ultimate archetype of beauty and quality.

ImolaCeramica Showroom. A journey through time.

Over 3000 square metres of ceramic production exhibited in a unique and extremely stylish example of post-industrial architecture. In the spacious and beautifully-organised ImolaCeramica showroom, the visitor can admire the stratified transformation and renovations that have changed this fascinating eighteenth-century glass-works into a highly contemporary space. A stroll through its various rooms means taking a journey through time, crossing decades and historical periods to enjoy a firsthand experience of tactile creativity in all its various formats.



INDEX

NEW

紐約	(IMOLA)	16	黑森林	(葡萄牙)	42
裴廓德	(IMOLA)	20	赫爾墨斯	(西班牙)	44
阿巴拉契亞	(IMOLA)	22	夏琨	(西班牙)	48
切爾西	(義大利)	26	搖滾樂	(西班牙)	50
帝國	(義大利)	30	雅卡爾	(西班牙)	52
古木	(義大利)	34	阿根廷	(西班牙)	56
墨丘利	(葡萄牙)	38	鈦圖	(西班牙)	58





INDEX



尤克	60	極致	84
比利時	64	維也納森林	88
多利克	68	蓋亞	92
沐石	72	盤古崗石	98
沙漠綠洲	76	繆斯2.0	102
亞特蘭提斯	80		

大地之歌	106	香頌	136
多羅米堤	110	泰坦	140
貝岡佐里	114	馬諦斯	146
拉斯科	120	雅拉香波	150
後時尚	124	塞納河	154
恆石	130		

夏奇拉	156	淬鍊	160
-----	-----	----	-----

史東	164	安地斯山	172
匠石	168	馬特宏	176

邁巴赫	180		
-----	-----	--	--

12X18	30X100	60X60	紐約
比利時	雅卡爾	阿巴拉契亞	16
		帝國	默丘利
15X15	30X120	古木	44
多利克	拉斯科	夏琨	雅拉香波
		雅卡爾	150
15X30	33. 3X33. 3	阿根廷	夏奇拉
多利克	盤古崗石	56	淬鍊
		極致	邁巴赫
16. 5X100	40X60	恆石	160
裴廓德	阿巴拉契亞	塞納河	180
黑森林	22		
維也納森林		石材	
雅拉香波	150	切爾西	22
		赫爾墨斯	26
20X20	45X90	極致	帝國
鈦圖	沐石	蓋亞	30
	72	穆斯2.0	墨丘利
20X100	45X120	大地之歌	102
後時尚	搖滾樂	110	沐石
	50	多羅米堤	80
20X120	46. 5X95. 5	貝岡佐里	極致
古木	大地之歌	114	蓋亞
馬諦斯	106	泰坦	92
		淬鍊	穆斯2.0
20X180	49X99	邁巴赫	102
尤克	墨丘利		大地之歌
	38		106
24X99	50X100	史東	110
黑森林	香頌	匠石	114
	136	安地斯山	118
30X30	50X180	馬特宏	122
多利克	尤克		亞特蘭提斯
	60		124
30X60	60X120	清水模	
阿巴拉契亞	切爾西	赫爾墨斯	44
帝國	26	沙漠綠洲	76
亞特蘭提斯	赫爾墨斯	雅拉香波	150
極致	44	馬特宏	176
貝岡佐里	80		
塞納河	84	木紋	
	154	裴廓德	20
75X75	75X120	古木	34
亞特蘭提斯	大地之歌	黑森林	42
極致	106	尤克	60
貝岡佐里	114	維也納森林	88
塞納河	154	後時尚	124
		馬諦斯	146
拼花	90X90	雅拉香波	150
古木	淬鍊		
雅卡爾	160	戶外	
阿根廷	160	阿巴拉契亞	22
蓋亞	102	多利克	68
恆石	130	極致	84
	150	塞納河	154
其他	120X260		
古木	夏琨		
雅卡爾	搖滾樂		
阿根廷	52		
蓋亞	50		
恆石	52		
	130		

INDEX



壁磚



地磚



室內住宅



戶外地板



小型商業空間

大型商業空間(如
大賣場、機場、
地鐵站)高承載商業空間(如有使用堆
高機或車子的工廠、倉庫)

自然面感



半拋光面感



拋光面感



平面



凹凸模面



鑿面



霧面



絲綴面

半施釉
混亮霧漸層釉面

亮釉



直線邊

B 利用石子滾磨出來
的不規則破碎邊

S 有開模的不規則邊

均質的窯變程度
(窯變程度較為平均
,顏色差異不大)輕微窯變
(紋理或是相似的圖案
有些許的顏色差異)中度窯變
(每一塊磚的顏色可
能會有顯著的不同)重度窯變
(每一塊磚的顏色隨
機變化)

修邊、單一尺寸

M 不同尺寸排列組合建議的留縫
大小 (以 mini meter 為單位)X mm 磁磚厚度
大小 (以 mini meter 為單位)

Imola 集團的環境管理體系符合 UNI EN ISO 14001 規範，根據下列原則制定：

1. 自然與資源環境的維護：

Imola 集團深信且尊重環境的價值，認為工業生產應採取最佳、最適合的策略及設備來運用自然資源。因此 Imola 集團致力於減少陶瓷生產過程中對環境的影響與優化自然資源的使用，利用循環技術回收加工後的廢渣優化水資源，實現包裝回收材料再利用。因此 Imola 集團在生產磁磚時，一直在致力於減低環境影響、並最有效的應用自然資源，利用資源永續方式，有效回收及運用加工後之殘渣，再用優化後的回收水供應並且實現包裝材料回收再利用。

2. 高效能源政策：

Imola 集團藉由引進最佳的工廠生產流程，並致力於不斷降低生產過程中的能源消耗，所耗之電能大部分都能利用最先進的設備自行生產使用。

3. 尊重生態系統：

Imola 集團為保護整個生態系統，致力於減少工業生產對整體環境的影響。因此 Imola 集團全面回收加工用水，實現零排放，並且持續監控主要排放源，以求達到高標準環境汙染物減量的目標，同時對紙張、塑料、木材、鋼銅等進行全面的分類回收。

Imola 各類磁磚的設計、生產及銷售都擁有 UNI EN ISO 9001 品質系統的認證。該系統的實施具有下列目的：

1. 藉由充分管理技術及系統資源，不斷改進生產流程。
2. 通過測量結果、維護計畫的測試以及對系統、設備及器材的掌控，以確保使用的正確性、可信度和可靠性。
3. 致力於改善多元性地區、弱勢地區、人文與環境的社會背景。



由於對公司著重可持續發展性策略的精確實施，Imola 集團已獲得生態管理系統、審計計畫(EMAS)的認證。

EMAS 是歐洲重要的產品持續發展性指標，要獲得認證必須對所有員工宣導保護環境的重要性。

EMAS 系統是企業自主性參加的一套系統，藉由公司自願選擇對環境更加重視與負責，主動提案，經由採購與管理去評價並改善環境退化效率，對空氣、水源、土地、原材料與能源提出更有效的利用方式。

EMAS 認證傳遞出 Imola 集團在工廠中以下兩個基本原則以及可持續發展能源承諾的信息。

1. 由於磁磚部門大範圍關懷環境問題以預防環境退化的速率，工廠耗損管理、汙水、空氣汙染媒介的排放也必須縮減。
2. Imola 集團持續不斷地與消費者、人民、政府行政部門對話，目的是將市場導向降低環境、社會與經濟的衝擊發展。

Imola 集團是義大利綠建築協會的成員，亦以弘揚 LEED 認證系統為己任。依據規格與生產工藝流程的不同，磁磚可以幫助建築物獲取 LEED (能源與環境設計認證)的評分。LEED 是一套建築能源環境認證體系，根據是否符合某些規定準則而評定分數。評定分數時，必須考慮建築物使用的所有材料。

Imola 集團的產品能夠降低熱島效應，減少對氣候的影響；在磁磚的製程中都含有前次使用的回收材料；所使用原料主要來自於本地與其周圍區域；Imola 集團的產品中有助於改善建築物的熱導率數值；也因為性能與創新的認證為其大大加分，例如擁有高品質環境性能的 Ecolabel 的認證，Imola 集團的磁磚完全不會排放 VOC (揮發性有機物質)，其磁磚生產過程在燒製時會清除其中的有機化合物。



Ecolabel 認證系統是一個歐洲多種環保認證計劃之一，藉由明確定義環境及產業政策，以激勵「乾淨」產品存在於市場。Ecolabel 計畫包含自願性、選擇性及LCA (生命週期分析)生態標準的遵守，並由主管單位認證後簽發。

加入 Ecolabe 計畫的產品必須具備以下條件：

1. 在市場上擁有顯著的銷售量；
2. 對全球環境影響顯著；
3. 藉由消費者的選擇、鼓勵生產方與供應方發現認證產品的優點以改善當今環境。

Imola 集團的產品已獲得 Ecolabel 認證，具有降低對環境的衝擊特點，符合歐洲訂立的嚴格生態標準。Ecolabel 產品遵循嚴苛的生產流程標準，代表著 Imola 集團在環保與生產的卓越能力。

這些標準包括：

低度影響環境的生產流程、使用不含致癌物或有毒物質的材料、對工作者沒有毒性、低耗能、大量減少空氣排放、生產流程中使用水循環及剩料回收利用率達98%。



Imola 集團近年實施一個新的環保計畫：

在模擬石材磁磚的生產流程中使用一種泥漿，也就是在傳統混合物中加入生產過程中的廢料和淨化後剩餘的生產材料，因此而有了 BIOGRES 品牌認證，如此見證了 Imola 集團產品對生態與美學品質。有 BIOGRES 標誌的產品具有下列特性：

- | | |
|-------------------------|-------------------------------------|
| 1. 熟廢渣 100% 循環 | 2. 生產過程中用水 100% 再利用，減少水源需求，確實保護土地水源 |
| 3. 不存在揮發性有機物質 | 4. 產生的廢渣 100% 再利用，減少新原料的使用，保護自然資源 |
| 5. 淨化剩餘材料 100% 回收 | 6. 循環過程中的非陶瓷垃圾再用於其他生產流程中 |
| 7. 將二氧化碳排放降低 15% | 8. 超過 95% 用電需求由電熱聯合產生設備自我滿足 |
| 9. 透過安裝高效能設備將能源消耗降低 20% | 10. 限制廢氣排放，遠低於義大利要求的環境限制值 |



數位影像：

此為一套創新的科技系統，為磁磚的設計表現帶來無限可能。超過 100 平方公尺的不同種類的磁磚，重新定義了創意概念，為設計和美學表達帶來無盡的自由。亦為一個多采多姿的高解析度世界，具有 360x600dpi 解析度，利用 1024 個五色噴嘴，實現無可媲美的色彩敏銳度。完美無限，帶來更加天然活潑的效果，具有卓越的色彩、款式和裝飾效果。




Imola 集團了解到各獨立機構頒發的環境認證的重要性，也因此成為了義大利第一家獲得 Green Squared® 加倍綠色環保認證的磁磚生產企業。

Green Squared® 是由 TCNA 北美陶瓷協會 (Tile Council of North America) 推行的一項磁磚及相關安裝材料方面的認證計畫，專門用於檢測企業的環保管理和責任履行。該認證基於 ANSI 美國國家標準協會 (American National Standards Institute) 對磁磚、玻璃等相關安裝材料編寫的 ANSI A138.1 規範。規範確立了整個產品生命週期中必須依循的標準，從生產原料的取得、生產，直到最終使用以及廢料處理過程。Green Squared® 認證基於多方面考量，根據以下五個範疇劃分產品等級：

- | | | |
|--------------|---------------|--------------|
| 1. 產品特性 | 2. 創新 | 3. 與時俱進的企業治理 |
| 4. 過期產品的管理處置 | 5. 生產過程和原料的取得 | |

Imola 集團從關懷環境的角度來生產及設計出讓環境永續發展的產品，並以高度的道德責任感從事企業活動，符合所有的強制性規範，並且符合 ANSI138.1 規範中其它非必須評定標準，特別是 Imola 集團遵守了認證所規定的生產過程，不將工業廢料排放到公有處理場，並且達到 100% 的廢水循環再利用。



單次燒製產品規範

SINGLE FIRING TECHNICAL CHARACTERISTICS

ISO 13006 - J - BIIa GL ($3\% < E \leq 6\%$) UNI EN 14411 - J -

SPECIFICATION 規範	TEST METHODS 測試依據	REQUIREMENTS IN ACCORDANCE TO THE STANDARDS EN標準	SINGLE FIRING AVAAERAGE VALUE 單次燒製平均值
DIMENSIONS AND APPEARANCE 尺寸和外觀	ISO 10545-2	PROSPECT J.1 說明書J.1	COMPLIANT 符合規範
WATER ABSORPTION 吸水率	ISO 10545-3	$3\% < E \leq 6\%$	$3\% < E \leq 6\%$
FLEXURAL RESISTANCE 抗折度	ISO 10545-4	min.22 N/mm ²	$30 \text{ N/mm}^2 = 306 \text{ Kg/cm}^2$
		THICKNESS 厚度 $\geq 7,5 \text{ mm}$: min. 1000 N	COMPLIANT 符合規範
		THICKNESS 厚度 $< 7,5 \text{ mm}$: min. 600 N	
MODULUS OF RUPTURE 抗壓度	ISO 10545-4	CLASSES 0-5 等級0-5	AS INDICATED IN THE CATALOGUE 如產品目錄所示
RESISTANCE TO SURFACE ABRASION 表面抗磨損性		AVAILABLE ON REQUEST 符合要求	$\leq 7 \times 10^{-6} \text{ }^{\circ}\text{C}-1$
LINEAR EXPANSION THERMIC COEFFICIENT 線性熱膨脹係數	ISO 10545-8	AVAILABLE ON REQUEST 符合要求	$\leq 7 \times 10^{-6} \text{ }^{\circ}\text{C}-1$
RESISTANCE TO SUDDEN TEMPERATURE CHANGES 耐溫度驟變	ISO 10545-9	AVAILABLE ON REQUEST 符合要求	RESISTANT 符合標準耐度
CRAZING RESISTANCE 抗龜裂性	ISO 10545-11	ALWAYS TESTED 測試合格	RESISTANT 符合標準抗性
CHEMICAL RESISTANCE 抗化學物質	ISO 10545-13	HOUSEHOLD CHEMICALS AND SWIMMING POOL WATER CLEANSERS 耐家用化學劑與泳池清潔劑	
ACIDS AND LOW CONCENTRATION ALKALIS 酸與弱鹼		min. GB	min. GB
ACIDS AND HIGH CONCENTRATION ALKALIS 酸與強鹼		FROM GLA, GLB TO GLC 從GLA、GLB到GLC	FROM GLA, GLB TO GLC 從GLA、GLB到GLC
STAIN RESISTANCE 抗污性	ISO 10545-14	min. 3	min. 3
COLOUR STABILITY TO LIGHT 光下色彩穩定度	DIN 51094	THEY DO NOT HAVE TO SHOW VISIBLE COLOUR ALTERATION 無明顯色差	COMPLIANT 測試合格




二次燒製產品規範

DOUBLE FIRING TECHNICAL CHARACTERISTICS

ISO 13006 - J - BIIa GL ($E > 10\%$) UNI EN 14411 - J -

SPECIFICATION 規範	TEST METHODS 測試依據	REQUIREMENTS IN ACCORDANCE TO THE STANDARDS EN標準	IMOLA CERAMICA DOUBLE FIRING AVERAGE VALUE 二次燒製平均值
DIMENSIONS AND APPEARANCE 尺寸和外觀	ISO 10545-2	PROSPECT L.1 說明書L.1	COMPLIANT 符合規範
WATER ABSORPTION 吸水率	ISO 10545-3	$> 10\%$	$> 10\%$
FLEXURAL RESISTANCE 抗折度	ISO 10545-4	THICKNESS 厚度 $> 7,5 \text{ mm}$: min. 12 N/mm ²	$17 \text{ N/mm}^2 = 173 \text{ Kg/cm}^2$
		THICKNESS 厚度 $\geq 7,5 \text{ mm}$: min. 15 N/mm ²	COMPLIANT 符合規範
		THICKNESS 厚度 $\geq 7,5 \text{ mm}$: min. 600 N	
		THICKNESS 厚度 $< 7,5 \text{ mm}$: min. 200 N	
MODULUS OF RUPTURE 抗壓度	ISO 10545-4	CLASSES 0-5 等級0-5	AS INDICATED IN THE CATALOGUE 如產品目錄所示
LINEAR EXPANSION THERMIC COEFFICIENT 線性熱膨脹係數	ISO 10545-8	AVAILABLE ON REQUEST 符合要求	$\leq 7 \times 10^{-6} \text{ }^{\circ}\text{C}-1$
RESISTANCE TO SUDDEN TEMPERATURE CHANGES 耐溫度驟變	ISO 10545-9	AVAILABLE ON REQUEST 符合要求	RESISTANT 符合標準耐度
CRAZING RESISTANCE 抗龜裂性	ISO 10545-11	ALWAYS TESTED 測試合格	RESISTANT 符合標準抗性
CHEMICAL RESISTANCE 抗化學物質	ISO 10545-13	HOUSEHOLD CHEMICALS AND SWIMMING POOL WATER CLEANSERS 耐家用化學劑與泳池清潔劑	
ACIDS AND LOW CONCENTRATION ALKALIS 酸與弱鹼		min. GB	min. GB
ACIDS AND HIGH CONCENTRATION ALKALIS 酸與強鹼		AVAILABLE ON REQUEST 符合要求	AVAILABLE ON REQUEST 符合要求
STAIN RESISTANCE 抗污性	ISO 10545-14	min. 3	min. 3



石英施釉磚產品規範

GLAZED PORCELAIN TILES TECHNICAL CHARACTERISTICS

ISO 13006 - G - Bla GL (E ≤ 0,5%) UNI EN 14411 - G -

SPECIFICATION 規範	TEST METHODS 測試依據	REQUIREMENTS IN ACCORDANCE TO THE STANDARDS EN標準	GLAZED PORCELAIN TILES AVERAGE VALUE 石英施釉磚平均值
DIMENSIONS AND APPEARANCE 尺寸和外觀	ISO 10545-2	PROSPECT J.1 說明書J.1	COMPLIANT 符合規範
WATER ABSORPTION 吸水率	ISO 10545-3	≤ 0,5%	3% < E ≤ 6%
FLEXURAL RESISTANCE 抗折度	ISO 10545-4	min.35 N/mm ²	50 N/mm ² = 509 Kg/cm ²
MODULUS OF RUPTURE 抗壓度		THICKNESS 厚度 ≥7,5 mm: min. 1300 N	COMPLIANT 符合規範
		THICKNESS 厚度 ≥ 7,5 mm: min. 700 N	
RESISTANCE TO SURFACE ABRASION 表面抗磨損性	ISO 10545-7	CLASSES 0-5 等級0-5	AS INDICATED IN THE CATALOGUE 如產品目錄所示
LINEAR EXPANSION THERMIC COEFFICIENT 線性熱膨脹係數	ISO 10545-8	AVAILABLE ON REQUEST 符合要求	≤7x10-6 °C-1
RESISTANCE TO SUDDEN TEMPERATURE CHANGES 耐溫度驟變	ISO 10545-9	AVAILABLE ON REQUEST 符合要求	RESISTANT 符合標準耐度
CRAZING RESISTANCE 抗龜裂性	ISO 10545-11	ALWAYS TESTED 測試合格	RESISTANT 符合標準抗性
FROST RESISTANCE 耐凍性	ISO 10545-12	ALWAYS TESTED 測試合格	RESISTANT 符合標準耐性
CHEMICAL RESISTANCE 抗化學物質	ISO 10545-13		
HOUSEHOLD CHEMICALS AND SWIMMING POOL WATER CLEANSERS 耐家用化學劑與泳池清潔劑		min. GB	min. GB
ACIDS AND LOW CONCENTRATION ALKALIS 酸與弱鹼		FROM GLA, GLB TO GLC 從GLA、GLB到GLC	FROM GLA, GLB TO GLC 從GLA、GLB到GLC
ACIDS AND HIGH CONCENTRATION ALKALIS 酸與強鹼		AVAILABLE ON REQUEST 符合要求	AVAILABLE ON REQUEST 符合要求
STAIN RESISTANCE 抗污性	ISO 10545-14	min. 3	min. 3
COLOUR STABILITY TO LIGHT 光下色彩穩定度	DIN 51094	THEY DO NOT HAVE TO SHOW VISIBLE COLOUR ALTERATION 無明顯色差	COMPLIANT 符合規範




通體磚產品規範

TECHNICAL CHARACTERISTICS FULL BODY PORCELAIN TILES

ISO 13006 - G - BIA UGL (E≤0,5%) UNI EN 14411 - G -

SPECIFICATION 規範	TEST METHODS 測試依據	REQUIREMENTS IN ACCORDANCE TO THE STANDARDS EN標準	FINE PORCELAIN STONEWARE AVERAGE VALUE 通體磚平均值
DIMENSIONS AND APPEARANCE 尺寸和外觀	ISO 10545-2	PROSPECT G.1 說明書G.1	COMPLIANT 符合規範
WATER ABSORPTION 吸水率	ISO 10545-3	≤ 0,5%	0,05%
FLEXURAL RESISTANCE 抗折度	ISO 10545-4	min.35 N/mm ²	50 N/mm ² = 509 Kg/cm ²
MODULUS OF RUPTURE 抗壓度		THICKNESS 厚度 ≥7,5 mm: min. 1300 N	8,5 mm 2500 N
		THICKNESS 厚度 ≥ 7,5 mm: min. 700 N	THICKNESS 厚度 12 mm 5000 N 厚度 14 mm 6500 N
RESISTANCE TO SURFACE ABRASION 表面抗磨損性	ISO 10545-7	≤ 175 mm ³	140 mm ³
LINEAR EXPANSION THERMIC COEFFICIENT 線性熱膨脹係數	ISO 10545-8	AVAILABLE ON REQUEST 符合要求	≤7x10-6 °C-1
RESISTANCE TO SUDDEN TEMPERATURE CHANGES 耐溫度驟變	ISO 10545-9	AVAILABLE ON REQUEST 符合要求	RESISTANT 符合標準耐度
FROST RESISTANCE 耐凍性	ISO 10545-12	ALWAYS TESTED 測試合格	RESISTANT 符合標準抗性
CHEMICAL RESISTANCE 抗化學物質	ISO 10545-13		
HOUSEHOLD CHEMICALS AND SWIMMING POOL WATER CLEANSERS 耐家用化學劑與泳池清潔劑		min. GB	min. GB
ACIDS AND LOW CONCENTRATION ALKALIS 酸與弱鹼		FROM GLA, GLB TO GLC 從GLA、GLB到GLC	FROM GLA, GLB TO GLC 從GLA、GLB到GLC
ACIDS AND HIGH CONCENTRATION ALKALIS 酸與強鹼		AVAILABLE ON REQUEST 符合要求	AVAILABLE ON REQUEST 符合要求
STAIN RESISTANCE 抗污性	ISO 10545-14	AVAILABLE ON REQUEST 符合要求	min. 3
COLOUR STABILITY TO LIGHT 光下色彩穩定度	DIN 51094	THEY DO NOT HAVE TO SHOW VISIBLE COLOUR ALTERATION 無明顯色差	COMPLIANT 符合規範



地磚止滑係數以及適用場所 (DIN51130)

等級	傾斜角度	使用區域
R9	> 6° ~ 10°	<p>低的傾斜角度</p> <p>人在穿著皮鞋、乾燥的條件下，站在上面仍不致滑動。</p> <p>適用：樓梯、醫院、辦公室、病房、餐廳、福利社及一般入口處之空間。 人多可能有滑倒風險之場所</p>
R10	> 10° ~ 19°	<p>正常的傾斜角度</p> <p>人在穿著皮鞋、乾燥的條件下，站在上面仍不致滑動。</p> <p>適用：洗手間、廁所、研究室、茶水間。 一般人比較有滑倒風險之場所</p>
R11	> 19° ~ 27°	<p>增加的傾斜角度</p> <p>人在穿著皮鞋、乾燥的條件下，站在上面仍不致滑動。</p> <p>適用：修車廠、實驗室、飲料工廠…等。 偶有水漬、油漬等較易滑倒之場所</p>
R12	> 27° ~ 35°	<p>高的傾斜角度</p> <p>人在穿著皮鞋、乾燥的條件下，站在上面仍不致滑動。</p> <p>適用：冷凍庫、廁所、研究室、茶水間。 一般人比較有滑倒風險之場所</p>
R13	> 35°	<p>非常高的傾斜角度</p> <p>人在穿著皮鞋、乾燥的條件下，站在上面仍不致滑動。</p> <p>適用：屠場、蔬果集散場等。 經常積水，易滑倒之場所</p>

泳池磚止滑係數以及適用場所 (DIN51097)

等級	傾斜角度	使用區域
Class A	≥ 12°	<ul style="list-style-type: none"> 赤腳區通道 (幾乎是乾的) 個別的及公眾的更衣室 在全區水深超過80cm，非游泳區的泳池地面 蒸汽浴以及放鬆區
Class B	≥ 18°	<ul style="list-style-type: none"> 在A組中未分類的徒步通道區 淋浴間及泳池周邊 消毒設備區 某些區域的水深是少於80cm，在非游泳區的泳池地面 引導池中的引導梯 池中的引導梯最大的寬度是1m，以及兩方的扶手欄杆 游泳池外邊的地面及階梯 放鬆區的步階以及水中的突出物 蒸汽浴是以及放鬆區 (在A組中未分類的)
Class C	≥ 24°	<ul style="list-style-type: none"> 引導進入池中的引導梯 (在B組中未分類的) 池前的走道 傾斜的泳池邊緣設計



1 120x120cm (2.3片/坪) 霧面



FD12007



FD12008

1 120x260cm (1片/坪) 霧面



FD26000F

厚度: 6.5 mm

1 120x260cm (1片/坪) 霧面 厚度: 6.5 mm



FD26007



FD26008



6 16.5x100cm (20片/坪)



FD1651



FD1654



FD1658







6 30x60cm (18 片/坪)



FD6361



FD6362

4 40x60cm (13.5 片/坪)



FD4661



FD4662

3 60x60cm (9 片/坪)



FD6061



FD6062





2 60x120cm (4.5片/坪) 半拋



FA6212M
FA6212LP



FA6292M
FA6292LP



FA6298M
FA6298LP





6 30x60cm (18片/坪) 霧面



FA6322M



FA6324M

3 60x60cm (9片/坪) 霧面



FA6022M



FA6024M





4 20x120cm (13.5片/坪)



FE2184



FE2187



FE2184F



FE2187F


4 60x60cm (9片/坪)




FE6084F



FE6087F





2 49x99cm (6.7片/坪) 霧面



FI 5150M



FI 5152M



FI 5158M



6 15.5x98cm (21.3片/坪) 鏡面



FI 1610P



FI 1612P



FI 1616P



FI 1617P

4 24x99cm (13.6片/坪) 霧面



FI 2410M



FI 2412M



FI 2416M



FI 2417M





2 60x120cm (4.5片/坪) 燒面



FV6276



FV6277

1 120x120cm (2.3片/坪) 霧面 厚度:6.5mm



FV12060



3 60x60cm (9片/坪) 半拋



FVR6066LP



ReM

M
2mmV
3

7.8mm

4 45x120cm (6片/坪)




FVR4200



FVR4206

3 45x120cm (6片/坪) ST




FVR4200F



FVR4206F





30x100cm 二次燒製

Re M 3 mm 7.4mm V1

60x60cm 石英施釉磚

N Re M 10 mm 2 mm CLASS B R10

30x100cm (10.8片/坪)



FVR3122

30x100cm (10.8片/坪) 16種面 隨機出貨



FVR3122F

60x60cm (9片/坪) 16種面 隨機出貨




FVR6022F




4 59.2x59.2cm (9.2片/坪)



FVR6070M1



FVR6070M2



FVR6070M3



25 20x20cm (81片/坪)



FVR2038



FVR2031F 隨機



FVR2038F 隨機



23 20x20cm (81片/坪)



FVR2030F1



FVR2038F1





3 20x180cm (9片/坪)



FD2180



FD2182




FD2184

1 60x180cm (3片/坪)



FD6188





22 12x18cm (150片/坪)



FD1232G



FD1228G



FD1238G 亮面



FD1230M



FD1232M



FD1233M 雾面

22 12x18cm 隨機出貨



FD1230MF 雾面



FD1228F 亮面



FD1238F 亮面



當我甦醒時，陽光耀眼。
我意識我在平日與小狗追逐的屋裡，
觸摸有多彩紋理的石頭、椅子、櫃檯、桌子，
一切都如此熟悉。

我拿起話筒，撥給父親：
「爸爸，你還記得那個你教我爬樹的庭院嗎？
如果沒有你，我不會爬得那麼高。」



36 15x15cm (144片/坪)



FD1550

FD1552

23 15x30cm (72片/坪)



FD1350

FD1352

13 30x30cm (36片/坪)



FD3050

FD3052





3 45x90cm (8片/坪) 平面半拋  燒面半拋   燒面 



FD4960RLP
燒面半拋



FD4960LP
平面半拋



FD4960R
燒面



FD4962RLP
燒面半拋



FD4988LP
平面半拋



FD4968R
燒面



FD4964R
燒面



分貝侵襲屋角，撼動牆垣，
群眾忘情舞足，在顫動的地面。

我戴著耳機，穿著最愛的帽T，
在舞台上沉醉，
這是我發洩的方式…

在這大都市裡的小閣樓，
窒息卻又迷幻無比，
這城市可以壓垮你，
可以歌頌你，
取決於你如何接近它？
取決於你的內心，
我選擇後者。

這是我的世界，
我認識在台下正隨著節奏擺動的每一個人，
挫折？渴望？
是什麼在等著他們？
他們正在這尋找，
曙光乍現，在這無盡夜晚。

既非酒精，亦非藥物，
是友情與音樂 — 真正的音樂。
穿透全身每一條血管，
攫取你的關注。



3 45x90cm (8片/坪) 霧面



FD4972




FD4980



FD4982



 1 120x120cm (2.3片/坪) 霧面 



FD12010M
霧面
FD12010LP

半拋 



FD12017M
霧面
FD12017LP

霧面
半拋

 6 30x60cm (18片/坪) 燒面 



FD6310RB



FD6317RB

 2 75x75cm (5.8片/坪) 皮革面 



FD7510LM



FD7517LM





2 60x120cm (4.5片/坪) 



FD6250XM



FD6252XM



FD6257XM

2 60x60cm (9片/坪) 厚度: 20mm 



FD2650XM



FD2652XM



FD2657XM

6 30x60cm (18片/坪) 



FD6350XM



FD6352XM



FD6357XM





6 16.5x100cm (20片/坪) 平面  GLASS 框邊刻痕  GLASS



FD1611



FD1611R

框邊刻痕



FD1613



FD1613R

框邊刻痕



FD1619



FD1619R

框邊刻痕



FD1623



FD1623R

框邊刻痕



1 120x120cm (2.3片/坪) 霧面     



FD12037F1

半拋   



對紋拼花/半拋

FD12037F2

1 120x120cm (2.3片/坪) 霧面     



FD12032M

半拋   




霧面 FD12032LP

半拋



FD12037M



霧面

FD12037LP

半拋



FD12028M



霧面



1 120x120cm (2.3片/坪) 霧面    

半拋   



FD12030M



霧面 FD12030LP

半拋



FD12030F1



對紋拼花 / 半拋 FD12030F2

對紋拼花 / 半拋





11 33.3x33.3cm (29片/坪)



FD3371



FD3372



FD3376



FD3377



FD3378



FD3379

10 30x30cm (36張/坪)



FD30M7





2 75x75cm (5.8片/坪) 霧面 N ST     半拋 LP ST 



FD7550




FD7557



FD7550LP



FD7557LP





3 46.5x95.5cm (7.23片/坪) 半拋



FA4683LP



FA4690LP



FA4693LP





2 60x120cm (4.5片/坪)



FA6250M

霧面

FA6252M
FA6252LP霧面
半拋

FA6272M

霧面









2 60x120cm (4.5片/坪)



FA6280LP



FA6286LP



FA6281LP



FA6287LP

半抛

半抛

半抛

6 30.5x60.5cm (18片/坪)



FA6380M



FA6387M

霧面





3 30x120cm (9片/坪) 霧面 半拋



FA3266M
FA3266LP

霧面
半拋



FA3267M
FA3267LP

霧面
半拋








5 20x100cm (16.2片/坪)



FE2100



FE2108




FE2102



FE2118



FE2107





3 60x60cm (9片/坪) 半拋




FA6030LP FA6032LP FA6037LP FA6038LP

6 30x70cm (15.5片/坪) 半拋



FA3730M FA3732M

1 60x60cm 半拋



FA6030D FA6037D

3 37x37cm (3片/組)



FA3788S3F
FA3789S3F

1 60x60cm 半拋



FA6030FA FA6037FA



FA6030FC FA6037FC




FA6030FO FA6037FO

4 60x60cm (4片/組) 半拋



FA6030S4F



FA6037S4F





2 50x100cm (6.5片/坪) 半拋



FE5180LP



FE5182LP





2 59.4 x119cm (4.5片/坪)



FE6277 



FE6233



FE6248



FE6271 



FE6232



FE6245



2 59.4x119cm (4.5片/坪)



FE6250

CLASS
A+B

2 59.4x119cm (4.5片/坪)



FE6260







4 20x120cm (13.5片/坪)




FE2120

4 20x120cm (13.5片/坪)



FE2122

4 20x120cm (13.5片/坪)



FE2127

4 20x120cm (13.5片/坪)



FE2129





6 16.5x100cm (20片/坪) 霧面  半拋  4



FE1662LP
FE1662M

半拋 隨機
霧面 隨機

FE1663LP
FE1663M

半拋 隨機
霧面 隨機

2 16.5x100cm (20片/坪)



FE1662F

立體雙面感馬賽克



7 30x60cm (18片/坪)



FE6392



FE6398



4 60x60cm (9片/坪)



FE6092



FE6098





3 45x90cm (8片/坪) 半拋



FV4970LP



FV4973LP



FV4978LP





1 60x120cm (4.5片/坪)   



FV6257

3 30x60cm (18片/坪) 立體菱形馬賽克 



FV6257F

2 90x90cm (4片/坪) 厚度:7mm   



FV9058BM







2 49x99cm (6.7片/坪)




FI 5100M 霧面

2 48x98cm (6.9片/坪) LP



FI 5100P 半拋





2 49x99cm (6.7片/坪) 霧面



FI 5191M



FI 5192M



FI 5197M






2 49x99cm (6.7片/坪) 霧面 



FI 5181LP
FI 5181M



FI 5182LP
FI 5182M



FI 5183LP
FI 5183M





2 49x99cm (6.7片/坪) 霧面




FI 5160M



FI 5162M



FI 5163M







2 60x120cm (4.5片/坪)



FP6280



FP6282



FP6287



FP6288



arch
CONCEPT




QUARTER UP

186



CURVE



187



CUT BUMP





BEND



DIAGONAL



190



BUMP



191



HEX BUMP





CORNER UP



FUDARI
Fulfill Your Dreams

www.fudari.com.tw